

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of: GROHE, K.

Serial No: 10/538,552

Examiner: Huynh, K.

Filing Date: June 13, 2005

Group Art Unit: 3751

For: SHOWER SUPPORT

Conf. No. 5070

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Notice of non-compliance mailed July 14, 2008, applicant re-submits its amendment filed June 24, 2008, with revised claim status indicators. In particular, "is canceled" or "was canceled" is changed to - - canceled - -, which is hoped to satisfy the legal instruments examiners. Submitted are:

- Amended claims to replace the claims of record; and,
- Applicant's Remarks.

Reconsideration and allowance are requested.

Respectfully submitted,

Date: August 8, 2008

/Stephan Gribok/  
Stephan P. Gribok, Reg. No. 29,643  
Duane Morris LLP  
30 South 17<sup>th</sup> Street  
Philadelphia, PA 19103-4196  
tel. 215-979-1283  
fax. 215-979-1020  
SPGRIBOK@DUANEMORRIS.COM

Docket No.: D4700-396  
[P 42230 WO/US]